


ORFS aansluiting

K2GRO

Aansluiting	: Binnendraad met losse moer
Schroefdraad	: UNF
Afdichting	: Vlakdichtend
Uitvoering	: Recht




DN	Inch	T draad	C mm	E mm	Referentie
6	1/4"	9/16"-18	25	19	K2GRO0609
6	1/4"	11/16"-16	29	22	K2GRO0611
6	1/4"	13/16"-16	32	24	K2GRO0613
8	5/16"	11/16"-16	29	22	K2GRO0811
10	3/8"	11/16"-16	29	22	K2GRO1011
10	3/8"	13/16"-16	30	24	K2GRO1013
12	1/2"	13/16"-16	32	24	K2GRO1213
12	1/2"	1"-14	35	30	K2GRO1216
12	1/2"	1.3/16"-12	37	36	K2GRO1219
16	5/8"	1"-14	35	30	K2GRO1616
16	5/8"	1.3/16"-12	34	36	K2GRO1619
20	3/4"	1"-14	37	30	K2GRO2016
20	3/4"	1.3/16"-12	35	36	K2GRO2019
20	3/4"	1.7/16"-12	41	41	K2GRO2023
25	1"	1.7/16"-12	39	41	K2GRO2523
32	1.1/4"	1.11/16"-12	40	50	K2GRO3227
38	1.1/2"	2"-12	41	60	K2GRO3832

Referentie rvs uitvoering: vervang K door R

K24GRO

Aansluiting	: Binnendraad met losse moer
Schroefdraad	: UNF
Afdichting	: Vlakdichtend
Uitvoering	: 45° gebogen - monobloc




DN	Inch	T draad	C mm	E mm	H mm	Referentie
6	1/4"	9/16"-18	40	19	14	K24GRO0609
6	1/4"	11/16"-16	40	22	15	K24GRO0611
8	5/16"	11/16"-16	44	22	14	K24GRO0811
10	3/8"	11/16"-16	52	22	17	K24GRO1011
10	3/8"	13/16"-16	51	24	18	K24GRO1013
12	1/2"	13/16"-16	60	24	23	K24GRO1213
12	1/2"	1"-14	66	30	23	K24GRO1216
12	1/2"	1.3/16"-12	62	36	23	K24GRO1219
16	5/8"	1"-14	71	30	26	K24GRO1616
16	5/8"	1.3/16"-12	44	36	18	K24GRO1619
20	3/4"	1"-14	40	30	15	K24GRO2016
20	3/4"	1.3/16"-12	83	36	27	K24GRO2019
20	3/4"	1.7/16"-12	84	41	26	K24GRO2023
25	1"	1.7/16"-12	100	41	31	K24GRO2523
32	1.1/4"	1.11/16"-12	125	50	44	K24GRO3227
38	1.1/2"	2"-12	78	60	29	K24GRO3832

Referentie rvs uitvoering: vervang K door R

ORFS aansluiting

K29GRO

Aansluiting	: Binnendraad met losse moer
Schroefdraad	: UNF
Afdichting	: Vlakdichtend
Uitvoering	: 90° gebogen - monobloc




DN	Inch	T draad	C mm	E mm	H mm	Referentie
6	1/4"	9/16"-18	25	19	26	K29GRO0609
6	1/4"	11/16"-16	27	22	23	K29GRO0611
8	5/16"	11/16"-16	29	22	32	K29GRO0811
10	3/8"	11/16"-16	33	22	33	K29GRO1011
10	3/8"	13/16"-16	33	24	32	K29GRO1013
12	1/2"	13/16"-16	39	24	36	K29GRO1213
12	1/2"	1"-14	39	30	40	K29GRO1216
12	1/2"	1.3/16"-12	42	36	39	K29GRO1219
16	5/8"	1"-14	47	30	45	K29GRO1616
16	5/8"	1.3/16"-12	42	36	39	K29GRO1619
20	3/4"	1"-14	42	30	39	K29GRO2016
20	3/4"	1.3/16"-12	57	36	49	K29GRO2019
20	3/4"	1.7/16"-12	56	41	51	K29GRO2023
25	1"	1.7/16"-12	67	41	61	K29GRO2523
25	1"	1.11/16"-12	62	50	58	K29GRO2527
32	1.1/4"	1.11/16"-12	63	50	58	K29GRO3227
38	1.1/2"	2"-12	80	60	73	K29GRO3832

Referentie rvs uitvoering: vervang K door R

ORFS aansluiting

K2UNFO

Aansluiting	: Buitendraad met o-ring
Schroefdraad	: UNF
Afdichting	: Vlakdichtend (voorzien van o-ring)
Uitvoering	: Recht




DN	Inch	T draad	C mm	E mm	Referentie
6	1/4"	9/16"-18	23	17	K2UNFO0609
6	1/4"	11/16"-16	21	19	K2UNFO0611
8	5/16"	11/16"-16	26	19	K2UNFO0811
10	3/8"	11/16"-16	26	19	K2UNFO1011
10	3/8"	13/16"-16	29	22	K2UNFO1013
12	1/2"	13/16"-16	29	22	K2UNFO1213
12	1/2"	1"-14	34	27	K2UNFO1216
12	1/2"	1.3/16"-12	35	32	K2UNFO1219
16	5/8"	1"-14	33	27	K2UNFO1616
16	5/8"	1.3/16"-12	35	32	K2UNFO1619
20	3/4"	1.3/16"-12	36	32	K2UNFO2019
20	3/4"	1.7/16"-12	36	38	K2UNFO2023
25	1"	1.7/16"-12	37	38	K2UNFO2523
25	1"	1.11/16"-12	38	46	K2UNFO2527
32	1.1/4"	1.11/16"-12	39	46	K2UNFO3227

Referentie rvs uitvoering: vervang K door R

SAE aansluiting

K2UNF

Aansluiting	: Buitendraad
Schroefdraad	: UNF
Afdichting	: Vlakdichtend
Uitvoering	: Recht




DN	Inch	T draad	C mm	E mm	Referentie
6	1/4"	7/16"-20	24	14	K2UNF0607
6	1/4"	1/2"-20	24	17	K2UNF0608
6	1/4"	9/16"-18	24	17	K2UNF0609
8	5/16"	9/16"-18	24	17	K2UNF0809
10	3/8"	9/16"-18	25	17	K2UNF1009
10	3/8"	3/4"-16	28	22	K2UNF1012
12	1/2"	3/4"-16	28	22	K2UNF1212
12	1/2"	7/8"-14	30	27	K2UNF1214
12	1/2"	1.1/16"-12	32	32	K2UNF1217
16	5/8"	7/8"-14	30	27	K2UNF1614
16	5/8"	1.1/16"-12	32	32	K2UNF1617
20	3/4"	7/8"-14	31	27	K2UNK2014
20	3/4"	1.1/16"-12	33	32	K2UNK2017
20	3/4"	1.5/16"-12	36	38	K2UNK2021
25	1"	1.5/16"-12	37	38	K2UNK2521

Referentie rvs uitvoering: vervang K door R

UNF aansluiting

K2UNFS

Aansluiting	: Draaikoppeling
Schroefdraad	: UNF
Afdichting	: Vlakdichtend
Uitvoering	: Recht



DN	Inch	T draad	C mm	E mm	Referentie
8	1/2"	7/8"-14	39	27	K2UNFS0814
16	5/8"	7/8"-14	39	27	K2UNFS1614
20	3/4"	1.1/16"-12	43	32	K2UNFS2017

Referentie rvs uitvoering: vervang K door R